

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S12	6	(trochoidal adj pump) and (tip with (clearance or gap))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/04/06 16:00
S13	0	(gearpump) and (tip with (clearance or gap))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/04/06 16:00
S14	308	(gear adj2 pump) and (tip with (clearance or gap))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/04/06 16:15
S15	3	"02095787"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/04/06 16:35
S16	4	"4132213"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/04/06 16:35
S17	1	("5876193").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/06 17:16
S18	0	"57059672"	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/06 17:17
S19	3	"57059672"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/04/06 17:18
S20	1	"56024250"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/04/06 17:18

S21	0	"59084288"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/04/06 17:19
S22	1	"59096410"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/04/06 17:19
S24	0	((418/171.166).ccls.) and ((tip or tooth) with (clearance or gap or recess))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/04/06 17:34
S25	155	((418/171.166).ccls.) and ((tip or tooth) with (clearance or gap or recess))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/04/07 09:45
S26	35	((("418"/\$).ccls.) and (gear adj pump) and ((tip or tooth) with (clearance or gap or recess)) and coat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/04/06 17:21
S27	4	("3106912"   "3595013"   "6138646").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/06 17:22
S28	13	("4037522"   "4209286"   "4285640"   "4307998"   "4490102"   "4551395"   "4568252"   "4616985"   "4645440"   "4662267"   "4717322"   "4797011"   "4927715").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/06 17:31
S29	111	((418/171.166).ccls.) and ((tip or tooth) with (clearance or gap or recess)) and (coat\$3 or seal\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/04/06 17:48
S30	802	((trochoidal or gear) adj pump)and ((tip or tooth) with (clearance or gap or recess)) and (coat\$3 or seal\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/04/06 17:53

S31	1176	((trochoidal or gear) adj pump)and ((tip or tooth) with (clearance or gap or recess))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/04/06 17:53
S32	412	S30 and ((coat\$3 or seal\$3) with (tip or tooth))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/04/06 17:51
S33	239	S32 and inner and outer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/04/06 17:52
S36	21	S32 and (inner adj rotor) and (outer adj rotor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/04/06 17:54
S37	1176	((trochoidal or gear) adj pump) and ((tip or tooth) with (clearance or gap or recess))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/04/06 17:53
S38	802	((trochoidal or gear) adj pump) and ((tip or tooth) with (clearance or gap or recess)) and (coat\$3 or seal\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/04/06 17:53
S39	45	S38 and (inner adj rotor) and (outer adj rotor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/04/06 17:55
S40	36	((418/166).ccls.) and ((tip or tooth) with (clearance or gap or recess))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/04/07 09:45
S41	37	((418/166).ccls.) and ((tip or tooth) with (clearance or gap or recess or slot))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/04/07 09:45

S42	4	("4235217"   "5219277"   "5582514"   "5628626").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/07 10:38
S43	1	"10035900"	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/07 10:38
S44	5	"10035900"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/04/07 10:39